

EN Operator's manual

Telescopic Hedge Trimmer

FLYMO SabreCut XT

1. SAFETY	. 2
2. ASSEMBLY	. 6
3. OPERATION	6
4. MAINTENANCE	8
5. STORAGE	
6. TROUBLESHOOTING	
7. TECHNICAL DATA	
8. ACCESSORIES	. 10
9. SERVICE/WARRANTY	. 10

or lack of experience and knowledge, unless they have been given supervision or instruction concerning use of the product by a person responsible for their safety. Children should be supervised to ensure that they do not play with the product.

Intended use:

This FLYMO Telescopic Hedge Trimmer is used to cut hedges, shrubs and grass coverings in private domestic gardens and allotments.

DANGER! Risk of injury! Do not use the unit to cut lawns/lawn edges, to chop up material or to make compost.

Original instructions.



This product is not intended for use by persons (including children) with reduced physical, sensory or mental capabilities,

1. SAFETY

Important!

Read the operator's manual carefully before use and keep for future reference.

If not used properly this product can be dangerous. The warnings and safety instructions must be followed to ensure reasonable safety and efficiency in using this product. The operator is responsible for following the warnings and instructions in this manual and on the product. Never use the product unless the guards provided by the manufacturer are in the correct position.

Symbols on the product:





Read operator's manual.



Wear safety glasses and ear protection.



Do not let the unit become wet with rain or other moisture. Do not leave the unit outdoors while it is raining.



Disconnect the mains cable if the cable becomes damaged or cut.



Risk of fatal injury due to electric shock! Keep at least 10 m away from electricity lines.



Danger - Keep hands away from blade.

General Power Tool Safety Warnings



WARNING! Read all safety warnings and all instructions. Failure to follow the warnings and instructions may result in electric shock, fire and / or serious injury.

Save all warnings and instructions for future reference. The term "power tool" in the warnings refers to your mains operated (corded) power tool or battery operated (cordless) power tool.

1) Work area safety

- a) Keep work area clean and well lit.

 Cluttered or dark areas invite accidents.
- b) Do not operate power tools in explosive atmospheres, such as in the presence of flammable liquids, gases or dust. Power tools create sparks which may ignite the dust or fumes.
- c) Keep children and bystanders away while operating a power tool.

 Distractions can cause you to lose control.

2) Electrical safety

- a) Power tool plugs must match the outlet. Never modify the plug in any way. Do not use any adaptor plugs with earthed (grounded) power tools. Unmodified plugs and matching outlets will reduce risk of electric shock.
- b) Avoid body contact with earthed or grounded surfaces, such as pipes, radiators, ranges and refrigerators. There is an increased risk of electric shock if your body is earthed or grounded.
- c) Do not expose power tools to rain or wet conditions. Water entering a power tool will increase the risk of electric shock.
- d) Do not abuse the cord. Never use the cord for carrying, pulling or unplugging the power tool. Keep cord away from heat, oil, sharp edges or moving parts. Damaged or entangled cords increase the risk of electric shock.

- e) When operating a power tool outdoors, use an extension cord suitable for outdoor use.
 - Use of a cord suitable for outdoor use reduces the risk of electric shock.
- f) If operating a power tool in a damp location is unavoidable, use a residual current device (RCD) protected supply. Use of an RCD reduces the risk of electric shock.

3) Personal safety

- a) Stay alert, watch what you are doing and use common sense when operating a power tool. Do not use a power tool while you are tired or under the influence of drugs, alcohol or medication. A moment of inattention while operating power tools may result in serious personal injury.
- b) Use personal protective equipment. Always wear eye protection. Protective equipment such as dust mask, non-skid safety shoes, hard hat, or hearing protection used for appropriate conditions will reduce personal injuries.
- c) Prevent unintentional starting. Ensure the switch is in the off-position before connecting to power source and/or battery pack, picking up or carrying the tool. Carrying power tools with your finger on the switch or energising power tools that have the switch on invites accidents.
- d) Remove any adjusting key or wrench before turning the power tool on. A wrench or a key left attached to a rotating part of the power tools may result in personal injury.
- e) Do not overreach. Keep proper footing and balance at all times. This enables better control of the power tool in unexpected situations.
- f) Dress properly. Do not wear loose clothing or jewellery. Keep your hair, clothing and gloves away from moving parts. Loose clothes, jewellery or long hair can be caught in moving parts.
- g) If devices are provided for the connection of dust extraction and collection facilities, ensure these are connected and properly used. Use of dust collection can reduce dust-related hazards.
- 4) Power tool use and care
- a) Do not force the power tool. Use the correct power tool for your application.

The correct power tool will do the job better and safer at the rate for which it was designed.

 b) Do not use the power tool if the switch does not turn it on and off.

Any power tool that cannot be controlled with the switch is dangerous and must be repaired.

c) Disconnect the plug from the power source and/ or the battery pack from the power tool before making any adjustments, changing accessories, or storing power tools.

Such preventive safety measures reduce the risk of starting the power tool accidentally.

d) Store idle power tools out of the reach of children and do not allow persons unfamiliar with the power tool or these instructions to operate the power tool. Power tools are dangerous in the hands of untrained users.

- e) Maintain power tools. Check for misalignment or binding of moving parts, breakage of parts and any other condition that may affect the power tool's operation. If damaged, have the power tool repaired before use. Many accidents are caused by poorly maintained power tools.
- f) Keep cutting tools sharp and clean. Properly maintained cutting tools with sharp cutting edges are less likely to bind and are easier to control.
- g) Use the power tool, accessories and tool bits etc. in accordance with these instructions, taking into account the working conditions and the work to be performed.

Use of the power tool for operations different from those intended could result in a hazardous situation.

5) Service

Have your power tool serviced by a qualified repair person using only identical replacement parts. This will ensure that the safety of the power tool is maintained.

Hedge trimmer safety warnings:

- Keep all parts of the body away from the cutter blade. Do not remove cut material or hold material al to be cut when blades are moving. Make sure the switch is off when clearing jammed material. A moment of inattention while operating the hedge trimmer may result in serious personal injury.
- Carry the hedge trimmer by the handle with the cutter blade stopped. When transporting or storing the hedge trimmer always fit the cutting device cover.

Proper handling of the hedge trimmer will reduce possible personal injury from the cutter blades.

- Hold the power tool by insulated gripping surfaces only, because the cutter blade may contact hidden wiring or its own cord.
 Cutter blades contacting a "live" wire may make exposed metal parts of the power tool "live" and could give the operator an electric shock.
- Keep cable away from the cutting area. During operation the cable may be hidden in shrubs and can be accidentally cut by the blade.

Additional Safety Recommendations

Warning! Small parts can be easily swallowed. There is also a risk that the polybag can suffocate toddlers. Keep toddlers away when you assemble the product.

Work area safety

Only use the unit in the manner and for the functions described in these instructions.

The operator or user is responsible for accidents or hazards occurring to other people or their property.

While operation and transport pay special attention to the hazard for third parties posed by the increased working radius when the telescopic tube is extended.

Risk of stumbling. While operation pay attention to the cable.

Warning! When wearing hearing protection, and due to the noise produced by the unit, the operator may not notice persons approaching.

Do not use the unit when a thunderstorm is approaching. Do not use the unit nearby a water.

Electrical safety

The British Standards Institute recommend the use of a Residual Current Device (R.C.D.) with a tripping current of not more than 30 mA. Check your R.C.D. every time you use it

Before use, examine cable for damage, replace it if there are signs of damage or ageing.

If the replacement of the supply cord is necessary, this has to be done by the manufacturer or his agent in order to avoid a safety hazard.

Do not use the unit if the electric cables are damaged or worn.

Immediately disconnect from the mains electricity supply if the cable is cut, or the insulation is damaged. Do not touch the electric cable until the electrical supply has been disconnected.

Your electric cable must be untangled, tangled cables can overheat and reduce the efficiency of your unit.

Always disconnect the mains cable before disconnecting any plug, cable connector or extension cable.

Switch off, remove plug from mains and examine electric supply cable for damage or ageing before winding cable for storage. Do not repair a damaged cable, send the unit to the next FLYMO service Center or dealer authorised by FI YMO

Always wind cable carefully, avoiding kinking.

Use only on AC mains supply voltage shown on the product rating label.

Under no circumstances should an earth be connected to any part of the unit.

If the unit starts unintentionally when the mains plug is connected, disconnect the mains at once. Contact FLYMO Service to check the unit

Warning! This product makes an electromagnetic field while it operates. This field may under some conditions interfere with active or passive medical implants. To decrease the risk of conditions that can possibly injure or kill, we recommend persons with medical implants to speak with their physician and the medical implant manufacturer before you operate the product.

Cables

Use only permitted extension cables as per HD 516.
→ Ask your electrical specialist.

Personal safety


Always wear suitable clothing, protective gloves, and stout shoes.

Avoid contact to the oil of the blade in particular when you react allergic with it.

Thoroughly inspect the area where the unit is to be used and remove all wires and other foreign objects.

All adjustments (inclining the blade head, altering the length of the telescopic tube) have to be made with the sheath in place, and the unit must not rest on the blade in the process.

Always hold the unit properly with both hands on both handles $\widehat{\mathbb{A}}$ and $\widehat{\mathbb{B}}$.



Before using the unit and after any impact, check for signs of wear or damage and repair as necessary.

Never attempt to use an incomplete unit or one with an unauthorised modification.

Power tool use and care

Know how to stop the unit quickly in an emergency.

Never hold the unit by the guard.

Do not use the unit if the protection equipments (protection cover, quick blade-stop) are damaged.

Do not use ladders whilst operating the unit.

Disconnect the mains cable:

- before leaving the unit unattended for any period;
- before clearing a blockage;
- before checking, cleaning or working on the appliance;
- if you hit an object. Do not use your unit until you are sure that the entire unit is in a safe operating condition;
- if the unit starts to vibrate abnormally.
 Check immediately. Excessive vibration can cause injury.
- before passing to another person.

Only use the unit between 0 - 40 °C.

Maintenance and storage



→ When finishing or interrupting work push up protection cover.

Keep all nuts, bolts and screws secure to be sure the unit is in safe working condition.

If the unit got hot during operation, let it cool down before storage.

2. ASSEMBLY

The hedger, blade, protective cover and the operation instructions are included in the scope of delivery.




DANGER! Risk of physical injury!


Cut injury when the unit starts accidentally.

→ Before you assemble the unit, make sure that the mains cable is disconnected and the protective cover ① is slid over the blade ②.



To assemble the telescopic handle:






- Slide the telescopic pipe (3) into the motor unit (4) until you reach the stop position. Ensure that the two markings (4) face each other.
- 2. Tighten the grey nut (5).

3. OPERATION



To connect the hedge trimmer:





DANGER! Risk of physical injury!

Cut injury when the unit starts accidentally.

→ Before you connect, adjust or transport the unit, disconnect the mains cable and slide the protective cover ① over the blade ②.



DANGER! Risk of electric shock!

To avoid damage to the mains cable (§) the mains cable (?) must be inserted into the cable lock (8).

- → Before you operate the unit insert the mains cable ⑦ into the cable lock ⑧.
- → Never take hold of the protective cover ① when connecting the unit.
- 1. Loop the mains cable ①, insert the loop into the cable lock ③ and pull tight.
- 2. Connect the extensimains on cable (7) into a 230 V mains socket.

Work positions:

The unit can be operated in 4 positions (illustration similar).



Side trimming: Telescopic pipe retracted



Vertical trimming at high level: Telescopic tube extended



Horizontal trimming at high level: Motor unit tilted by 75°, telescopic pipe extended



Trimming at low level:
Motor unit tilted by – 60°, telescopic pipe extended

To start the hedge trimmer:



DANGER! Risk of physical injury!

Risk of injury if the unit does not stop when you release the start button.

→ Do not bypass the safety devices or switches. For example do not attach the starting lock-out ⑪ or start button ⑬ to the handle.



The unit is fitted with a starting lock-out (1) to prevent the unit from being turned on by accident.


- 1. Remove the protective cover ① from the blade ②.
- 2. Hold the telescopic pipe of the unit with one hand and the handle ② with the other hand.
- 3. Push the starting lock-out $\textcircled{1}\!\!\!\!$ forwards and push the start button $\textcircled{8}\!\!\!\!\!$

The unit will start.


4. Release the starting lock-out 1.



- 1. Release the start button (3).
- 2. Slide the protective cover (1) over the blade (2).




To tilt the motor unit:



For cutting at high and low level, the motor unit 4 can be tilted at an angle of 75° to -60° in 15° increments.

- 1. Keep the orange button (9) pressed.
- 2. Tilt the motor unit 4 in the required direction.
- 3. Release the orange button (9) and allow the motor unit (4) to engage.

To extend the telescopic pipe:



For cutting at high and low heights, the telescopic pipe ③ can be continuously extended by up to 45 cm.

- 1. Loosen the orange nut ⑩.
- 2. Extend the telescopic pipe (3) to the required length.
- 3. Tighten the orange nut @ again.

4. MAINTENANCE





DANGER! Risk of physical injury!

Cut injury when the unit starts accidentally.

→ Before you maintain the unit, make sure that the mains cable is disconnected and the protective cover ① is slid over the blade ②.

To clean the hedge trimmer:



DANGER! Electric shock!

Risk of injury and risk of damage to property.

- → Do not clean the unit with water or with a water jet (in particular high-pressure water jet).
- 1. Clean the unit with a damp cloth.
- 2. Clean the airflow slots with a soft brush (do not use a screwdriver).
- 3. Lubricate the blade ② with a low viscosity oil. Avoid contact with the plastic parts.

5. STORAGE

To put into storage:



Disposal: (in accordance with RL2012/19/EC)



Disconnect the mains cable.

The unit must be stowed away from children.

- 2. Clean the unit (see 4. MAINTENANCE) and slide the protective cover ① over the blade ②.
- 3. Stow the unit in a dry area where it has protection from frost.

The unit must not be added to usual household waste. Refer to local environmental laws for discarding.

→ Important: Make sure that the unit is discarded through your municipal recycling collection centre.

6. TROUBLESHOOTING





DANGER! Risk of physical injury!

Cut injury when the unit starts accidentally.

→ Before you troubleshoot the unit, make sure that the mains cable is disconnected and the protective cover ① is slid over the blade ②.

Problem	Possible Cause	Remedy
Unit does not start	Mains cable not connected or damaged.	→ Connect the mains cable or if necessary replace it.
	Blade blocked.	→ Remove obstacle.
Unit can no longer be stopped	Start button is stuck.	→ Disconnect the mains cable and loosen start button.
Hedge is not cleanly cut	Blade blunt or damaged.	→ Have blade replaced by FLYMO Service.



NOTE: For any other malfunctions please contact the FLYMO service department. Repairs must only be done by FLYMO service departments or specialist dealers approved by FLYMO.

7. TECHNICAL DATA

Telescopic Hedge Trimmer	SabreCut XT Art. 9670799-01	
Motor power consumption	500 W	
Mains voltage/Mains frequency 230 V / 50 Hz		
Strokes	1,600/min.	
Length of blade	48 cm	
Tooth gap of blade	25 mm	
Range of extension of telescopic tube	0 – 45 cm	

Weight	approx. 4.1 kg
weignt	approx. 4.1 kg
Sound pressure level L _{pA} ¹⁾ Uncertainty k _{pA}	86 dB (A) 2.5 dB (A)
Sound power level L _{WA} ²⁾	measured 96 dB (A) / guaranteed 98 dB (A)
Uncertainty k _{WA}	2.5 dB (A)
Hand/arm vibration a _{vhw} ³⁾	$< 2.5 \text{ m/s}^2$

Measuring process complying with 1) DIN EN ISO 22868 2) RL 2000/14/EC 3) DIN EN ISO 22867.



NOTE: The stated vibration emission value has been measured according to a standardized test procedure and can be used for comparison of one electric power tool with another. It can also be used for preliminary evaluation of exposure. The vibration emission value can vary during actual use of the electric power tool.

8. Service/Warranty

Service:

Please contact the address on the back page.

Warranty:

In the event of a warranty claim, no charge is levied to you for the services provided.

Husqvarna UK Ltd. offers a 1-year warranty for this product (from the date of purchase) if the product has been used exclusively for private purposes. This manufacturer's warranty does not apply to used products purchased from a secondary market. This warranty includes all significant defects of the product that can be proved to be material or manufacturing faults. This warranty is fulfilled by supplying a fully functional replacement product or by repairing the faulty product sent to us free of charge; we reserve the right to choose between these options. This service is subject to the following provisions:

 The product was used for its intended purpose as per the recommendations in the operating instructions.

- Neither the purchaser nor a third party has attempted to repair the product.
- Only original FLYMO spare and wear parts were used.

Normal wear and tear of parts and components, optical changes, as well as wear parts and consumables, are excluded from the warranty.

This manufacturer's warranty does not affect warranty entitlements against the dealer/retailer.

If problems arise with this product, please contact our Service department. In the event of a warranty claim, please send the defective product together with a copy of the purchase receipt and a description of the defect, sufficiently stamped, to the Husqvarna service address on the back page.

Consumables:

The blade and excentric drive are consumables and are not included in the guarantee.

Product liability

In accordance with the German Product Liability Act, we hereby expressly declare that we accept no liability for damage incurred from our products where said products have not been properly repaired by a FLYMO-approved service partner or where original FLYMO parts or parts authorised by FLYMO were not used.

EC DECLARATION OF CONFORMITY

The undersigned, Husqvarna AB, 561 82 Huskvarna, Sweden, hereby certifies that, when leaving our factory, the products indicated below are in accordance with	the harmonised EU guidelines, EU standards of safety and product specific standards. This certificate becomes void if the products are modified without our approval.
Description of the product:	Sabre Cut
Product type	ХТ
Article-Number	9670799-01
CE-Directives	2006/42/EG 2014/30/EG 2011/65/EG 2000/14/EG
Harmonised EN	EN ISO 12000 EN 60745-1 EN 60745-2-15 EN ISO 10517
Deposited Documentation	GARDENA Technical Documentation, M. Kugler, Hans-Lorenser-Str. 40, 89079 Ulm
Conformity Assessment according to	2000/14/EG Procedure: Art. 14 Annex V
Noise level: measured / guaranteed	96 dB (A)/98 dB (A)
Ulm 13.11.2017	
Authorised representative:	-Sthm
	John Thompson Product and Marketing Director EUAP

Deutschland / Germany
GARDENA Manufacturing GmbH
Central Service
Hans-Lorenser-Straße 40
D-89079 UIII
Produktfragen:
(+49) 731 490-123
Reparaturen:
(+49) 731 490-290
service-flymo@qardena.com

Albania COBALT Sh.p.k. Rr. Siri Kodra 1000 Tirana

Argentina
Husqvarna Argentina S.A.
Av.del Libertador 5954 —
Piso 11 — Torre B
(C1428ARP) Buenos Aires
Phone: (+54) 11 5194 5000
info.gardena@ar.husqvarna.com

Armenia Garden Land Ltd. 61 Tigran Mets 0005 Yerevan

Australia
Husqvarna Australia Pty. Ltd.
Locked Bag 5
Central Coast BC
NSW 2252
Phone: (+ 61) (0) 2 4352 7400
customer.service@
husqvarna.com.au

Austria / Österreich Husqvarna Austria GmbH Industriezeile 36 4010 Linz Tel.: (+43) 732 77 01 01-485 service.gardena@ husqvarnagroup.com

Azerbaijan Firm Progress a. Aliyev Str. 26A 1052 Baku

Belgium Husqvarna België nv/sa Gardena Division Rue Egide Van Ophem 111 1180 Uccle/Ukkel Tel.: (+32) 2 720 92 12 Mail: info@gardena.be

Bosnia / Herzegovina SILK TRADE d.o.o. Industrijska zona Bukva bb 74260 Tešanj

Brazil
Husqyarna do Brasil Ltda
Av. Francisco Matarazzo,
1400 – 19º andar
São Paulo – SP
CEP: 05001-903
Tel: 0800-112252
marketing, br. husqyarna@

Bulgaria
AGROLAND България АД
бул. 8 Декември, № 13
Офис 5
1700 Студентски град
София
Тел.: (+359) 2466 6910
info@aoroland.eu

husqvarna.com.br

Canada / USA
GARDENA Canada Ltd.
100 Summerlea Road
Brampton, Ontario L6T 4X3
Phone: (+1) 905 792 93 30
info@gardenacanada.com

Chile
Maquinarias Agroforestales
Ltda. (Maga Ltda.)
Santiago, Chile
Avda. Chesterton
8355 comuna Las Condes
Phone: (+56) 2 202 4417
Dalton@maga.cl
Zipcode: 7560330

China Husqvarna (China) Machinery Manufacturing Co., Ltd. No. 1355, Jia Xin Rd., Ma Lu Zhen, Jia Ding Dist.,

No. 1355, Jia Xin Rd., Ma Lu Zhen, Jia Ding Dist., Shanghai 201801 Phone: (+86) 21 59159629 Domestic Sales www.gardena.com.cn

Colombia
Husqvarna Colombia S.A.
Calle 18 No. 68 D-31, zona
Industrial de Montevideo
Bogotá, Cundinamarca
Tel. 571 2922700 ext. 105
jairo.salazar@husqvarna.com.co

Costa Rica Compania Exim Euroiberoamericana S.A. Los Colegios, Moravia, 200 metros al Sur del Colegio Saint Francis – San José Phone: (+506) 297 68 83 exim_euro@racsa.co.cr

Croatia SILK ADRIA d.o.o. Josipa Lončara 3 10090 Zagreb Phone: (+385) 1 3794 580 silk.adria@zg.t-com.hr

Cyprus

Med Marketing

17 Digeni Akrita Ave P.O. Box 27017 1641 Nicosia Czech Republic Husqvarna Česko s.r.o. Türkova 2319/5b 149 00 Praha 4 – Chodov

Bezplatná infolinka : 800 100 425 servis@cz.husqvarna.com Denmark GARDENA DANMARK

Denmark
GARDENA DANMARK
Lejrvej 19, st.
3500 Værløse
Tlf.: (+45) 70 26 47 70
husqvarna@husqvarna.dk
www.gardena.com / dk

Dominican Republic BOSOUESA, S.R.I. Carretera Santiago Licey Km. 5 ½ Esquina Copal II. Santiago Dominican Republic Phone: (+809) 736-0333 joserbosquesa@claro.net.do

Ecuador Husqvarna Ecuador S.A. Arupos E1-181 y 10 de Agosto Quito, Pichincha Tel. (+593) 22800739 francisco.jacome@ husqvarna.com.ec

Estonia Husqvarna Eesti OÜ Gardena Division Valdeku 132 Tallinn 11216, Estonia info@gardena.ee

Finland
Oy Husqvarna Ab
Gardena Division
Lautatarhankatu 8 B /PL 3
00581 HELSINKI
info@gardena.fi

France

Husqvarna France 9/11 Allée des pierres mayettes 9/2635 Gennevilliers Cedex France http://www.gardena.com/ fr N° AZUR: 0 810 00 78 23 (Prix d'un appel local) Georgia ALD Group Beliashvili 8 1159 Tleilisi

Great Britain
Husqvarna UK Ltd
Preston Road
Aycliffe Industrial Park
Newton Aycliffe
County Durham
DL5 6UP
Phone: +44 (0) 344 8444558
customer.services@
husqvarna.co.uk

GreeceΠ.ΠΑΠΑΔΟΠΟΥΛΟΣ ΑΕΒΕ Λεωφ. Αθηνών 92
Αθήνα
Τ.Κ.104 42
Ελλάδα
Τηλ. (+30) 210 5193100
info@papadopoulos.com.gr

Hungary
Husqvarna Magyarország Kft.
Ezred u. 1-3
1044 Budapest
Telefon: (+36) 1 251-4161
vevoszolgalat.husqvarna@
husqvarna.hu

Ö. Johnson & Kaaber Tunguhalsi 1 110 Reykjavik ooj@ojk.is Ireland Husqvarna UK Ltd Preston Road Aycliffe Industrial Park

Iceland

Newton Aycliffe County Durham DL5 6UP info.gardena@husgyarna.co.uk

Italy
Husqvarna Italia S.p.A.
Via Santa Vecchia 15
23868 VALMADRERA (LC)
Phone: (+39) 0341.203.111
assistenza.italia@
it.husqvarna.com

Japan
KAKUICHI Co. Ltd.
Sumitomo Reaitly &
Development Kojimachi
BLDG., 8F
5-1 Nibanncyo
Chiyoda-ku
Tokyo 102-0084
Phone: (+81) 33 264 4721
m_ishihara@kaku-ichi.co.jp

Kazakhstan LAMED Ltd. 155/1, Tazhibayevoi Str. 050060 Almaty IP Schmidt Abayavenue 3B 110 005 Kostanav

Kyung Jin Trading CO.,LTD. 107-4, SunDuk Bld., YangJae-dong, Seocho-gu, Seoul, (zipcode: 137-891) Phone: (+82) (0)2 574-6300

Kyrgyzstan Alye Maki av. Moladaya Guardir J 3 720014 Bishkek

Husqvarna Latvija SIA Gardena Division Ulbrokas 19A LV-1021 Rīga info@gardena.lv

UAB Husqvarna Lietuva Gardena Division Ateities pl. 77C LT-52104 Kaunas info@gardena.lt Luxembourg
Magasins Jules Neuberg
39, rue Jacques Stas
Luxembourg-Gasperich 2549
Case Postale No. 12
Luxembourg 2010
Phone: (+352) 40 14 01
api@neuberg.lu

Mexico AFOSA Av. Lopez Mateos Sur # 5019 Col. La Calma 45070 Zapopan, Jalisco, Mexico Phone: (+52) 33 3818-3434 icorneio@afosa.com.mx

Moldova Convel S.R.L. 290A Muncesti Str. 2002 Chisinau

Netherlands Husqvarna Nederland B.V. GARDENA Division Postbus 50131 1305 AC ALMERE Phone: (+31) 36 521 00 10 info@gardena.nl

Neth. Antilles
Jonka Enterprises N.V.
Sta. Rosa Weg 196
P.O. Box 8200
Curaçao
Phone: (+599) 9 767 66 55
pgm@jonka.com

New Zealand Husqvarna New Zealand Ltd. PO Box 76-437 Manukau City 2241 Phone: (+64) (0) 9 9202410 support.nz@husqvarna.co.nz

Norway Husqvarna Norge AS Gardena Division Trøskenveien 36 1708 Sarpsborg Tel: 69 10 47 00 www.gardena.no

Peru Husqvarna Perú S.A. Jr. Ramón Cárcamo 710 Lima 1 Tel: (+51) 1 3320400 ext. 416 juan.remuzgo@husqvarna.com

Poland Husqvarna Poland Spółka z o.o. ul. Wysockiego 15 b 03-371 Warszawa Phone: (+48) 22 330 96 00 gardena@husqvarna.com.pl

Portugal Husqvarna Portugal, SA Lagoa - Albarraque 2635 - 595 Rio de Mouro Tel.: (+351) 21 922 85 30 Fax: (+351) 21 922 85 36 info@gardena.pt

Romania Madex International Srl Soseaua Odaii 117 - 123, RO 013603 București, S1 Phone: (+40) 21 352.76.03 madex@ines.ro

Russia / Россия
ООО "Хускварна"
141400, Московская обл.,
г. Химки,
улица Ленинградская,
владение 39, стр. 6
Бизнес Центр
"Химки Бизнес Парх",
помещение ОВО_04
http://www.gardena.ru

Serbia Domel d.o.o. Autoput za Novi Sad bb 11273 Belgrade Phone: (+381) 118 48 8812 miroslav.ieiina@domel.rs Singapore
Hy-Ray PRIVATE LIMITED
40 Jalan Pemimpin
#02-08 Tat Ann Building
Singapore 577185
Phone: (+65) 6253 2277
shiying@hyray.com.sq

Slovak Republic
Husqvarna Česko s.r.o.
Türkova 2319/5b
149 00 Praha 4 – Chodov
Bezplatná infolinka:
800 154 044
servis@sk.husqvarna.com
Slovenia

Husqvarna Austria GmbH

Industriezelle 36
4010 Linz
4010 Lin

Phone: (+27) 33 846 9700

South Africa

Phone: (+34) 91 708 05 00 atencioncliente@gardena.es Suriname Agrofix n.v. Verlengde Hogestraat #22

Verlengde Hogestraat #22 Phone: (+597) 472426 agrofix@sr.net Pobox: 2006 Paramaribo Suriname – South America

Sweden Husqvarna AB Gardena Division S-561 82 Huskvarna info@gardena.se

Switzerland / Schweiz Husquarna Schweiz AG Consumer Products Industriestrasse 10 5506 Mägenwil Phone: (+ 41) (0) 62 887 37 90 info@gardena.ch

Turkey
GARDENA Dost Diş Ticaret
Mümessillik A.Ş.
Sanayi Çad. Adil Sokak
No: 1/B Kartal
34873 Istanbul
Phone: (+90) 216 38 93 939
info@œardena-dost.com.tr

Ukraine / Україна

ТОВ « Хусварна Україна »
вул. Васильківська, 34,
офіс 204-г

03022, Київ

Тел. (+38) 044 498 39 02
info⊚gardena на

Uruguay FELI SA Entre Ríos 1083 CP 11800 Montevideo – Uruguay Tel: (+598) 22 03 18 44 info@felisa.com.uv

Venezuela Corporación Casa y Jardín C.A. Av. Caroní, Edif. Trezmen, PB. Colinas de Bello Monte. 1050 Caracas. Tír: (+58) 212 992 33 22 info@casayjardin.net.ve

XT-20.960.02/0918 Husqvarna AB S-561 82 Huskvarna Sweden