





Art. 19032

**EN Operator's manual smart** Irrigation Control

# **GARDENA** smart Irrigation Control 24 V

| 1. SAFETY           |
|---------------------|
| 2. ASSEMBLY         |
| 3. INSTALLATION     |
| 4. OPERATION        |
| 5. MAINTENANCE      |
| 6. STORAGE          |
| 7. TROUBLESHOOTING  |
| 8. TECHNICAL DATA   |
| 9. ACCESSORIES      |
| 0. SERVICE/WARRANTY |

#### Original instructions.



For safety reasons, children and young people under 16 as well as anyone who is not familiar with these operating instructions should not use the product. Persons with reduced physical or mental abilities

may use the product only if they are supervised or instructed by a responsible person. Children must be supervised to ensure that they do not play with the product. Never operate the product when you are tired, ill or under the influence of alcohol, drugs or medicine.

#### Intended use:

The **GARDENA smart Irrigation Control** is intended for private use in domestic and hobby gardens, to control sprinklers and watering systems. It can be used for automatic watering during holidays. It is only intended for use in a weatherproof and dust-proof location. It is not intended for indoor use.

The **GARDENA smart Irrigation Control** is part of a garden irrigation system and can only be programmed together with the **GARDENA smart Gateway**.

The **GARDENA** smart Irrigation Control is configured via the **GARDENA** smart system App and controls the watering. Sprinklers, a sprinkler system or a drip head watering system can be used for watering.

The **GARDENA smart Irrigation Control** carries out watering fully automatically according to the set program and can therefore also be used during holidays.



#### **DANGER!** Risk of injury!

The product must not be used for industrial purposes or in conjunction with chemicals, foodstuffs, easily flammable and explosive materials.

#### 1. SAFETY

#### Important!

Read the operator's manual carefully before use and keep for future reference.

#### Symbols on the product:



#### Electrical safety



**DANGER!** Cardiac arrest!

This product makes an electromagnetic field while it operates. This field may under some conditions interfere with active or passive medical implants. To decrease the risk of conditions that can possibly injure or kill, we recommend persons with medical implants to speak with their physician and the medical implant manufacturer before you operate the product.



Risk of injury due to electric shock.

 The product must be supplied through a residual current device (RCD) having a rated residual operating current not exceeding 30 mA.



# Only plug the transformer into the power outlet in a vertical position.

The product must only be operated with the 24 V (AC) power supply unit provided. Do not use an adapter.

Protect the 24 V (AC) power supply unit from moisture and direct sunlight when connected.

Install the irrigation control in a weatherproof location.

Check the power cord for damage before use.

The product must be used only for controlling commercially available 24 V (AC) valves. The electric power consumption per channel must not exceed 400 mA (a GARDENA Irrigation Valve Art. 1278 requires 150 mA).

# Cable cross-section of the connection cable:

The maximum permissible distance between the product and the valve depends on the cross-section of the connection cable. For a distance of 30 m, the cross section is 0.5 mm<sup>2</sup> and 0.75 mm<sup>2</sup> for a distance of 45 m. No more than 3 valves must be in operation at the same time. The **GARDENA Connection Cable Art. 1280** is 0.5 mm<sup>2</sup> in size and is

15 m long.

Up to 6 valves can be connected using this cable. The connection cable can be connected so that it is watertight using the **GARDENA Cable Clip Art. 1282**.


Protect the product from direct sunlight.



Be careful when touching

Metal parts can heat up.

#### Personal safety




Small parts can be easily swallowed. There is also a risk that the polybag can suffocate toddlers. Keep toddlers away when you assemble the product.

#### 2. ASSEMBLY


# To assemble the irrigation control on the wall:

The both screws and dowels are in the skope of delivery.

The distance between the holes is 120 mm.



1. Remove the cover ①.



- 2. Mark the positions of the holes. To do this, hold the Irrigation Control against the wall, bring it straight and mark 2 holes at a distance of 120 mm.
- 3. Drill the holes and assemble the Irrigation Control to the wall with the 2 plugs and screws supplied.

#### NOTE:

#### The cables must be led downwards!


Pay attention to the cable lengths, especially during initial installation.

If you want to mount several irrigation controls, the distance between the holes is 150 mm.

Due to the cable routing, up to 3 Irrigation Controls can be assembled on top of each other.


# 3. INSTALLATION

#### To remove the cable strain relief:



ightarrow Loosen both screws  $\ensuremath{\mathfrak{3}}$  and remove the cable strain relief  $\ensuremath{\mathfrak{4}}$ .

#### Connection overview:



Valve Box Art. 1255


Valve Box Art. 1255




#### To connect the valves to the Valve Box:

Make sure that the terminal block has been correctly installed in the valve box.






→ Label the valves (1 – 6) with the yellow stickers of the valve box. (Therefore the signal cable terminals VALVES 1 – 6 of the Irrigation Control can be clearly assigned to the valves).



- → Connect a cable of the valve **V1** to the signal cable terminal **1** of the Valve Box.
- → Connect a cable of the valve **V2** to the signal cable terminal **2** of the Valve Box.
- → Connect a cable of the valve **V3** to the signal cable terminal **4** of the Valve Box.




- → Connect the other cable of the valve V1 to a signal cable terminal C of the Valve Box.
  (All 4 signal cable terminals C are connected to each other and equivalent).
- → Connect the other cable of the valve **V2** to a signal cable terminal **C** of the Valve Box.
- → Connect the other cable of the valve **V3** to a signal cable terminal **C** of the Valve Box.

#### To connect the Valve Box to the Irrigation Control:


**Tip:** Press down the signal cable terminal with your index finger, screwdriver or ballpoint pen to connect the cables.

With the GARDENA Connection Cable Art. 1280 you can connect up to 6 valves with the Irrigation Control.





- → Connect the signal cable terminal **1** of the Valve Box to the signal cable terminal **VALVES 1** of the Irrigation Control.
- → Connect the signal cable terminal **2** of the Valve Box to the signal cable terminal **VALVES 2** of the Irrigation Control.
- → Connect the signal cable terminal **3** of the Valve Box to the signal cable terminal **VALVES 3** of the Irrigation Control.



→ Connect one signal cable terminal **C** of the Valve Box to the blue signal signal cable terminal **C** of the Irrigation Control.


# To connect the pump:

#### **Master Channel:**

The master channel **M** is activated as soon as a valve is activated.

For example, you can activate a garden pump via the master channel so that the pump supplies the irrigation system whenever a valve is activated.





→ Connect both cables to the signal cable terminals **M** and **C** of the Irrigation Control (polarity does not have to be considered).

# To connect the power supply:



#### CAUTION!

The irrigation control is damaged if the power supply unit is connected to cable terminals other than the 24 V (AC) cable terminals!


→ Connect the power supply unit to the 24 V (AC) terminals only!



#### CAUTION!

Damaging of the irrigation control system by short circuit!


→ Check all wiring before you plug in the power supply.




- 1. Connect both cables to the cable terminals **24 V (AC)** of the Irrigation Control (polarity does not have to be considered).
- 2. Plug the power supply unit into an socket.



# To close the cover:




1. Attach the cable strain relief 4 and tighten the two screws 3.



2. Push the cover onto the Irrigation Control.

#### 4. OPERATION

# LED Display:



① LED Power:

**Green:** Power On

2 LED Connection display/Signal:

Green flashing: While connecting
Green: Signal strength high
Yellow: Signal strength medium
Red: Signal strength low
Red flashing: Inclusion mode failed

**③ LED Active watering:** 

**Green:** Active watering

**Red flashing:** Valve error (see 7. TROUBLESHOOTING)

# Operation with the GARDENA smart system App:


You can use the **GARDENA smart system app** to control all smart system products from anywhere at any time. You can download the free **GARDENA smart system app** from the Apple App Store or from the Google Play Store.

In order to include, a **GARDENA smart Gateway** with internet connectivity is needed. All GARDENA smart products are integrated via the app. Follow the instructions inside the App.

#### Settings of the Irrigation Control:

- According to the timings in the smart system App:
   Watering days, start, duration
- As required in the smart system App: Start and finish

#### Factory Reset:



The smart Irrigation Control will be reset to the factory settings.

→ Push the Reset key ⑤ for a short time. New connection.

#### - or -

→ Push and hold down the Reset key ⑤ for at least 5 seconds. Cancels the existing connection and allows a new connection to be established, e. g. different Gateway.

#### 5. MAINTENANCE

# To clean the Irrigation Control:

Do not use caustic / abrasive cleaning agents.

→ Clean the Irrigation Control with a damp cloth (do not use solvent).

#### 6. STORAGE

#### To put into storage:

The product must be stored away from children.

→ Do not store the Irrigation Control outdoors if not in use.

### Disposal:

(in accordance with RL2012/19/EC)



The product must not be disposed of to normal household waste. It must be disposed of in line with local environmental regulations.

#### **IMPORTANT!**

Dispose of the product through or via your municipal recycling collection centre.

# 7. TROUBLESHOOTING

| Problem  | Possible Cause                                 | Remedy   |
|--|--|--|
| LED Power illuminates red                                    | Undervoltage                                   | → Check the power connection.  |
|  | Wrong power supply.                            | → Check the power supply.  |
|  | MCU Communication error.                       | → Reset the irrigation control to factory settings.  |
| LED Active Watering flashes red                              | Can't open valve because of limit of 2.        | → Check the program.   |
|  | Valve is not connected.                        | → Check the valve.   |
|  | Single channel overcurrent.                    | → Check the current of the channel.  |
|  | Sum overcurrent.                               | → Check the sum current of the valves.   |
|  | Watering schedule cancelled.                   | → Restart the program.   |
|  | Master channel error                           | → Check the master channel.  |
|  | Watering duration too short.                   | → Increase the watering duration   |
| Watering program is<br>not being undertaken<br>(no watering) | The valve has previously been manually opened. | → Avoid any program overlap.   |
|  | Water tap closed.                              | → Open the water tap.  |
| No function  | Faulty wiring.                                 | → Check the cable terminals.   |
|  | Power supply unit is not connected.            | → Connect the power supply unit.   |
|  | Power supply unit is too hot.                  | → Disconnect the power<br>supply unit and let it be<br>cooled down. Connect<br>the power supply unit<br>again. |
|  |  | → Protect the power supply unit from direct sunlight.  |
| Inclusion is not possible (Inclusion)                        | No wireless connection to the Gateway.         | → Select another position for<br>the irrigation control or the<br>Gateway.                                     |
|  | No power supply available.                     | → Check the mains cable.   |

| Problem                             | Possible Cause                         | Remedy  |
|-------------------------------------|--|---|
| Irrigation Control does not respond | Faulty wiring.                         | → Check the cable terminals.                    |
|                                     | No wireless connection to the Gateway. | → Check the wireless connection to the Gateway. |



NOTE: For any other malfunctions please contact the GARDENA service department. Repairs must only be done by GARDENA service departments or specialist dealers approved by GARDENA.

#### **8. TECHNICAL DATA**

|  | Unit   | Value (Art. 19032) |
|--|--------|--------------------|
| Operation temperature range (outdoors) | °C     | +5 - +40           |
| SRD:                                   |        |                    |
| Frequency range                        | MHz    | 863 – 870          |
| Maximum power                          | mW     | 25                 |
| Free field radio range (approx.)       | m      | 100                |
| Power supply                           |        |                    |
| Mains voltage                          | V (AC) | 230 – 240          |
| Mains frequency                        | Hz     | 50                 |
| Rated Power                            | W      | 22                 |
| Standby power (approx.)                | W      | 3                  |
| Output voltage                         | V (AC) | 24                 |
| Max. Output current                    | mA     | 600                |
|  |        |                    |

# EC Declaration of Conformity:

Hereby, GARDENA Manufacturing GmbH declares that the radio equipment type (Art. 19032) is in compliance with directive 2014/53/EU.

The full text of the EC declaration of conformity is available at the following internet address:

http://www.gardena.com/int/support/safety-regulations



# 9. ACCESSORIES

| GARDENA smart Sensor       | Art. 19030     |
|----------------------------|----------------|
| GARDENA Watering Valve 24V | Art. 1278      |
| GARDENA Valve Boxes        | Art. 1254/1255 |
| GARDENA Connection Cable   | Art. 1280      |
| GARDENA Cable Clips        | Art. 1282      |

# 10. SERVICE/WARRANTY

#### Service:

Please contact the address on the back page.

### Warranty statement:

In the event of a warranty claim, no charge is levied to you for the services provided.

GARDENA Manufacturing GmbH grants a warranty for all original GARDENA new products for two years from the date of original purchase from the retailer, provided that the devices have been for private use only. This manufacturer's warranty does not apply to products acquired second hand. This warranty includes all significant defects of the product that can be proved to be material or manufacturing faults. This warranty is fulfilled by supplying a fully functional replacement product or by repairing the faulty product sent to us free of charge; we reserve the right to choose between these options. This service is subject to the following provisions:

- The product has been used for its intended purpose as per the recommendations in the operating instructions.
- Neither the purchaser nor a third party has attempted to open or repair the product.
- Only Original GARDENA replacement parts and wear parts have been used for operation.
- Presentation of the receipt.

Normal wear and tear of parts and components (such as blades, blade fixing parts, turbines, light bulbs, V-belts/toothed belts, impellers, air filters, spark plugs), visual changes, wear parts and consumables are excluded from the warranty.

This manufacturer's warranty is limited to replacement and repair of products in accordance with the abovementioned conditions. The manufacturer's warranty does not constitute an entitlement to lodge other claims against us as a manufacturer, such as for damages. This manufacturer's warranty does **not**, of course, affect statutory and contractual warranty claims against the dealer/retailer.

The manufacturer's warranty is governed by the law of the Federal Republic of Germany.

In case of a warranty claim, please return the faulty product, together with a copy of the receipt and a description of the fault, with postage paid to the service address.



# Product liability:

In accordance with the German Product Liability Act, we hereby expressly declare that we accept no liability for damage incurred from our products where said products have not been properly repaired by a GARDENA approved service partner or where original GARDENA parts or parts authorised by GARDENA were not used.

Deutschland / Germany GARDENA Manufacturing GmbH Central Service Hans-Lorenser-Straße 40 D-89079 Ulm Produktfragen: (+49) 731 490-123 Reparaturen: (+49) 731 490-290 service@gardena.com

Albania COBALT Sh.p.k Rr. Siri Kodra 1000 Tirana

Argentina Husqvarna Argentina S.A. Av.del Libertador 5954 -Piso 11 – Torre B (C1428ARP) Buenos Aires Phone: (+54) 11 5194 5000 info.gardena@ ar.husqvarna.com

Armenia Garden Land Ltd. 61 Tigran Mets 0005 Yerevan

Husqvarna Australia Pty. Ltd. Locked Bag 5 Central Coast BC NSW 2252 Phone: (+61) (0) 2 4352 7400 customer.service@ husqvarna.com.au

Austria / Österreich Husqvarna Austria GmbH Industriezeile 36 4010 Linz Tel.: (+43) 732 77 01 01-485 service.gardena@ husqvarnagroup.com

**Azerbaijan** Firm Progress a. Aliyev Str. 26A 1052 Baku

Belgium Husqvarna België nv/sa Gardena Division Rue Egide Van Ophem 111 1180 Uccle/Ukkel Tel.: (+32) 2 720 92 12 info@gardena.be

Bosnia / Herzegovina SILK TRADE d.o.o. Industrijska zona Bukva bb 74260 Tešanj

Husqvarna do Brasil Ltda Av. Francisco Matarazzo. 1400 - 19º andar São Paulo – SP CEP: 05001-903 Tel: 0800-112252 marketing.br.husqvarna@ husqvarna.com.br

AGROLAND България АД бул. 8 Декември, №13 Офис 5 1700 Студентски град София Тел.: (+359) 24666910 info@agroland.eu

Canada / USA GARDENA Canada Ltd. 100 Summerlea Road Brampton, Ontario L6T 4X3 Phone: (+1) 905 792 93 30 info@gardenacanada.com

Maquinarias Agroforestales Ltda. (Maga Ltda.) Santiago, Chile Avda, Chesterton # 8355 comuna Las Condes Phone: (+56) 2 202 4417 Dalton@maga.cl Zipcode: 7560330

China

Husqvarna (Shanghai) Management Co., Ltd. 富世华 (上海) 管理有限公司 3F, Benq Square B, No207, Song Hong Rd. Chang Ning District Shanghai, PRC. 200335 上海市长宁区淞虹路207号明 基广场B座3楼,邮编:200335

Colombia Husqvarna Colombia S.A. Calle 18 No. 68 D-31, zona Industrial de Montevideo Bogotá, Cundinamarca Tel. 571 2922700 ext. 105 jairo.salazar@ husqvarna.com.co

Costa Rica Compania Exim Euroiberoamericana S.A. Los Colegios, Moravia, 200 metros al Sur del Colegio Saint Francis - San José Phone: (+506) 297 68 83 exim\_euro@racsa.co.cr

Croatia Husqvarna Austria GmbH Industriezeile 36 4010 Linz Tel.: (+43) 732 77 01 01-485 service.gardena@ husqvarnagroup.com Cyprus Med Marketing

P.O. Box 27017 1641 Nicosia Czech Republic Husqvarna Česko s.r.o. Türkova 2319/5b 149 00 Praha 4 - Chodov Bezplatná infolinka: 800 100 425

17 Digeni Akrita Ave

servis@cz.husqvarna.com Denmark GARDENA DANMARK Leirvei 19, st. 3500 Værløse Tlf.: (+45) 70264770 husqvarna@husqvarna.dk www.gardena.com/dk

Dominican Republic BOSQUESA, S.R.L Carretera Santiago Licev Km. 5 1/2 Esquina Copal II Santiago Dominican Republic Phone: (+809) 736-0333 joserbosquesa@claro.net.do

Husqvarna Ecuador S.A. Arupos E1-181 y 10 de Agosto Quito, Pichincha Tel. (+593) 22800739 francisco.jacome@ husqvarna.com.ec

Husavarna Eesti OÜ Valdeku 132 EE-11216 Tallinn info@gardena.ee

Oy Husqvarna Ab Gardena Division Lautatarhankatu 8 B/PL 3 00581 HELSINKI www.gardena.fi

France Husavarna France 9/11 Allée des pierres mayettes 92635 Gennevilliers Cedex http://www.gardena.com/fi N° AZUR: 0 810 00 78 23 (Prix d'un appel local)

Georgia Transporter LLC 8/57 Beliashvili street 0159 Tbilisi, Georgia Phone: (+995) 322 14 71 71

**Great Britain** Husqvarna UK Ltd Preston Road Aycliffe Industrial Park Newton Aycliffe County Durham DL5 6UP info.gardena@ husqvarna.co.uk

Π.ΠΑΠΑΔΟΠΟΥΛΟΣ ΑΕΒΕ Λεωφ. Αθηνών 92 Αθήνα T.K.104 42 Ελλάδα Τηλ. (+30) 210 51 93 100 info@papadopoulos.com.gr

Husqvarna Magyarország Kft. Ezred u 1-3 1044 Budapest Telefon: (+36) 1 251-4161 vevoszolgalat.husqvarna@ husgvarna.hu

Iceland Ó. Johnson & Kaaber Tunguhalsi 1 110 Reykjavik ooi@oik.is

Ireland Husqvarna UK Ltd Preston Road Aycliffe Industrial Park Newton Aycliffe County Durham DL5 6UP info.gardena@ husqvarna.co.uk

Italy Husqvarna Italia S.p.A. Via Santa Vecchia 15 23868 VALMADRERA (LC) Phone: (+39) 0341.203.111 assistenza.italia@ it.husqvarna.com

Japan KAKUICHI Co. Ltd. Sumitomo Realty & Development Koiimachi BLDG., 8F 5-1 Nibanneyo Chiyoda-ku Tokyo 102-0084 Phone: (+81) 33 264 4721 m\_ishihara@kaku-ichi.co.jp

Kazakhstan LAMED Ltd. 155/1, Tazhibayevoi Str. 050060 Almaty IP Schmidt Abayavenue 3B 110 005 Kostanav

Korea Kyung Jin Trading CO.,LTD. 107-4, SunDuk Bld., YangJae-dong, Seocho-qu, Seoul, (zipcode: 137-891) Phone: (+82) (0)2574-6300

Kyrgyzstan Alye Maki av. Moladaya Guardir J 3 720014

I atvia Husqvarna Latvija SIA Ulbrokas 19A LV-1021 Rīga info@gardena.lv

Lithuania UAB Husqvarna Lietuva Ateities pl. 77C LT-52104 Kaunas info@gardena.lt

Luxembourg Magasins Jules Neuberg 39, rue Jacques Stas Luxembourg-Gasperich 2549 Case Postale No. 12 Luxembourg 2010 Phone: (+352) 40 14 01 api@neuberg.lu

Mexico AFOSA Av. Lopez Mateos Sur # 5019 Col. La Calma 45070 Zapopan, Jalisco Mexico Phone: (+52) 33 3818-3434 icorneio@afosa.com.mx

Moldova Convel S.R.L. 290A Muncesti Str. 2002 Chisinau

Netherlands Husqvarna Nederland B.V. GARDENA Division Postbus 50131 1305 AC ALMERE Phone: (+31) 36 521 00 10 info@gardena.nl

Neth. Antilles Jonka Enterprises N.V. Sta. Rosa Weg 196 P.O. Box 8200 Curação Phone: (+599) 97676655 pgm@jonka.com

New Zealand Husqvarna New Zealand Ltd. PO Box 76-437 Manukau City 2241 Phone: (+64) (0) 9 9202410 support.nz@husqvarna.co.nz

Norway Husayarna Norge AS Gardena Division Trøskenveien 36 1708 Sarpsborg info@gardena.no

Husavarna Perú S.A. Jr. Ramón Cárcamo 710 Lima 1 Tel: (+51) 1 3320 400 ext. 416 juan.remuzgo@ husqvarna.com

Poland Husavarna Poland Spółka z o.o. ul. Wysockiego 15 b 03-371 Warszawa Phone: (+48) 22 330 96 00 gardena@husgvarna.com.pl

Portugal Husqvarna Portugal, SA Lagoa - Albarraque 2635 - 595 Rio de Mouro Tel.: (+351) 21 922 85 30 Fax: (+351) 21 922 85 36 info@gardena.pt

Romania Madex International Srl Soseaua Odaii 117-123. RO 013603 Bucuresti, S1 Phone: (+40) 21 352.76.03 madex@ines.ro

Russia / Россия ООО "Хускварна" 141400, Московская обл., г. Химки, улица Ленинградская, владение 39, стр.6 Бизнес Центр ... Химки Бизнес Парк". помещение ОВ02 04 http://www.gardena.ru

Serbia Domel d.o.o. Autoput za Novi Sad bb 11273 Belgrade Phone: (+381) 1 18 48 88 12 miroslav.jejina@domel.rs

Singapore Hy-Ray PRIVATE LIMITED 40 Jalan Pemimpin #02-08 Tat Ann Building Singapore 577185 Phone: (+65) 6253 2277 shiying@hyray.com.sg

Slovak Republic Husqvarna Česko s.r.o. Türkova 2319/5b 149 00 Praha 4 – Chodov Bezplatná infolinka: 800 154 044 servis@sk.husqvarna.com Slovenia

Husqvarna Austria GmbH Industriezeile 36 4010 Linz Tel.: (+43) 732 77 01 01-485 service.gardena@ husqvarnagroup.com South Africa

Husavarna South Africa (Ptv) Ltd Postnet Suite 250 Private Bag X6, Cascades, 3202 South Africa Phone: (+27) 33 846 9700 info@gardena.co.za

Spain Husqvarna España S.A. Calle de Rivas nº 10 28052 Madrid Phone: (+34) 91 708 05 00 atencioncliente@gardena.es

Suriname Agrofix n.v. Verlengde Hogestraat #22 Phone: (+597) 472426 agrofix@sr.net Pobox : 2006 Paramaribo Suriname - South America

Husqvarna AB Gardena Division S-561 82 Huskvarna gardenaorder@husgyarna.se

Switzerland / Schweiz Husqvarna Schweiz AG Consumer Products Industriestrasse 10 5506 Mägenwil Phone: (+41) (0) 62 887 37 90 info@gardena.ch

Turkey Dost Bahçe Dış Ticaret Mümessillik A.Ş Yunus Mah. Adil Sok. No:3 Ic Kapi No: 1 Kartal 34873 Istanbul Phone: (+90) 216 38 93 939

info@dostbahce.com.tr

Ukraine / Україна ТОВ «Хускварна Україна» вул. Васильківська, 34. odic 204-r 03022. м. Київ Тел. (+38) 044 498 39 02 info@gardena.ua

Uruguay FELI SA FELI SA Entre Ríos 1083 CP 11800 Montevideo – Uruguay Tel: (+598) 22 03 18 44 info@felisa.com.uy

Venezuela Corporación Casa v Jardín C.A. Av. Caroní, Edif. Trezmen, PB. Colinas de Bello Monte. 1050 Caracas. Tlf: (+58) 212 992 33 22 info@casaviardin.net.ve

19032-20.962.01/1219 © GARDENA Manufacturing GmbH D-89070 Ulm http://www.gardena.com

29