



LITHIUM BATTERIES TEST SUMMARY

IN ACCORDANCE WITH SUB-SECTION 38.3 OF UN MANUAL OF TESTS AND CRITERIA

1	Product Manufacturer	GARDENA Germany AB PO BOX 7454 S-103 92 SWEDEN
2	Model	ClassicCut Li (Li-ion cylindrical cell 09853-00.640.00)) Included in: 9853-xx; 9854-xx; 9855-xx
3	Voltage rating	3.6V _{nom}
4	Ah rating	2.5 Ah
5	Wh rating	9.0 Wh

These models of Lithium ion batteries have been successfully tested and comply with the UN Model Regulations, Manual of Test and Criteria, Part III, subsection 38.3

PERFORME	RESULTS	
38.3.4.1 T1	Altitude Simulation	Passed
38.3.4.2 T2	Thermal Test	Passed
38.3.4.3 T3	Vibration	Passed
38.3.4.4 T4	Shock	Passed
38.3.4.5 T5	External Short Circuit	Passed
38.3.4.7 T7	Overcharge	Passed

(Note that tests T6 and T8 are not applicable to batteries.)

Revision Date: 2020-02-05	Revision Number: 2.1
Name, Title: Manfred Kugler, Compliance Manager	Signature: <u> <i>M. Kugler</i></u> M. Kugler (Feb 5, 2021 10:13 GMT+1)

Address GARDENA Germany AB

PO Box 7454 S-103 92 Stockholm Sweden Visiting address Regeringsgatan 28, S-103 92 Stockholm, Sweden Contact Telephone: +49 (0) 7 31 4 90 -502

service@gardena.com

Registered office Ulm, Germany

Organization no

www.gardena.de

HRB Ulm 1315

Page 2 of 3



Page 2 of 3



The UN 38.3 tests were performed by one of the following test houses and were tested to UN Manual Test and Criteria Revision 3 Amendment 1 or subsequent revisions or amendments.

AnTek Certification Inc.	SIRCI Testing Center
7F. No.351, Yangguang St., Neihu District	West entrance, No.345 East Yun Ling Road,
Taipei City, TAIWAN	Shanghai
Tel: 02-8752-3779	Tel : 021-52815377-0713/0714/0717/0718
atc@atclab.com.tw	Fax : 021-52815377-0716/0745
http://www.antek.net.cn	Email: msds123@gmail.com
Intertek Testing Services Taiwan Ltd.	SAMSUNG SDI Safety Center
5F, No. 423, Ruiguang Road, Neihu District	508 Sungsungdong, Cheonan
Taipei 114	Chungcheongnamdo, Korea
TAIWAN	
Phone: +886 2 6602 2888	
Fax: +886 2 6602 2889	
www.intertek-twn.com	

Product Test Information

Model numbers	Physical Description	Battery weight	Wh rating	Test report number	Test report date	Applicable UN Numbers
09853- 00.640.00	Lithium-Ion rechargerable battery	~ 47g	9	SDI-UN-150318-01	18.3.2015	UN3481